

1 Claims 1, 24, 46 and 54 are amended:
2

3 **1. (Currently Amended)** In a computer system, a method
4 comprising:

5 detecting input from a user, wherein the input corresponds to a present user
6 context:[[:]]

7 ~~responsive to the detecting and independent of whether the input is~~
8 ~~associated with an explicit query:~~

9 analyzing at least a subset of the input;

10 predicting desired access to one or more media files based on the analysis;

11 retrieving information corresponding to one or more media files from a
12 media content source, wherein the information was generated responsive to a user
13 context previous to and different from the present user context; and

14 presenting the information to a user for suggested access.
15

16 **2. (Previously Presented)** The method of claim 1, wherein the input
17 is text.
18

19 **3. (Previously Presented)** The method of claim 1, wherein the input
20 is text in a word processor document or in an e-mail.
21
22
23
24
25

1 **4. (Previously Presented)** The method of claim 1, wherein the
2 information further comprises suggested media content items, the method further
3 comprising:

4 detecting user interest in an item of the suggested media items; and
5 responsive to detecting the user interest, displaying a high-level feature
6 corresponding to the item, the high-level feature being stored in a database
7 customized to the user.

8
9 **5. (Previously Presented)** The method of claim 1, wherein
10 analyzing the input further comprises:

11 determining one or more keywords from text;
12 evaluating the one or more keywords in view of semantic text and user
13 intention and preference patterns, the semantic text comprising previously
14 collected text from a personal media database customized to the user.

15
16 **6. (Previously Presented)** The method of claim 1, wherein
17 analyzing the user input further comprises evaluating the input based on lexical
18 features.

19
20 **7. (Currently amended)** The method of claim 1, wherein
21 analyzing the input further comprises evaluating the user input based on
22 syntactical features.

1 **8. (Previously Presented)** The method of claim 1, wherein
2 analyzing the user input further comprises evaluating the input based on at least a
3 partially instantiated sentence pattern.

4
5 **9. (Previously Presented)** The method of claim 1, wherein the
6 method further comprises:

7 identifying media content use patterns, and wherein analyzing the input
8 further comprises evaluating the input based on the media content use patterns;
9 and

10 wherein the suggested access is an insert or attach media content operation.

11
12 **10 - 23. (Canceled).**
13
14
15
16
17
18
19
20
21
22
23
24
25

1 **24. (Currently Amended)** A computer-readable medium
2 comprising computer-executable instructions for:
3 detecting user input corresponding to a present user context; and
4 responsive to detecting the user input and independent of whether the user
5 input is associated with an explicit query:
6 analyzing at least a subset of the user input in view of semantic text and
7 user intention and preference patterns, the semantic text comprising the at least a
8 subset and previously collected text from a personal media database customized
9 for the user, the previously collected text being semantically related to one or more
10 previous multimedia accesses by the user;
11 predicting desired access to one or more media files based on the analysis;
12 retrieving information corresponding to one or more media files from a
13 media content source, wherein the retrieved information was generated in response
14 to a user context previous to and different from the present user context; and
15 presenting the information as a suggestion.

16
17 **25. (Previously Presented)** The computer-readable medium of claim
18 24, wherein the user input is text.

19
20 **26. (Previously Presented)** The computer-readable medium of claim
21 24, wherein the user input corresponds to an e-mail message or a word processing
22 document.

1 **27. (Previously Presented)** The computer-readable medium of claim
2 24, wherein the information further comprises suggested media content items, and
3 wherein the computer-executable instructions further comprise instructions for:

4 detecting user interest in an item of the suggested media items; and
5 responsive to detecting the user interest, displaying a high-level feature
6 corresponding to the item, the high-level feature being stored in a database.

7
8 **28. (Previously Presented)** The computer-readable medium of claim
9 24, wherein the instructions for analyzing the user input further comprise
10 determining one or more keywords from the user input, and wherein the one or
11 more media files correspond to the one or more keywords.

12
13 **29. (Previously Presented)** The computer-readable medium of ~~in~~
14 claim 24, wherein the instructions for analyzing the user input further comprise
15 evaluating the user input based on lexical features.

16
17 **30. (Previously Presented)** The computer-readable medium of claim
18 24, wherein the instructions for analyzing the user input further comprise
19 evaluating the user input based on syntactical features.

20
21 **31. (Previously Presented)** The computer-readable medium of claim
22 24, wherein the instructions for analyzing the user input further comprise
23 evaluating the user input based on at least a partially instantiated sentence pattern.
24
25

1 **32. (Previously Presented)** The computer-readable medium of claim
2 24, wherein the computer-executable instructions further comprise instruction for
3 identifying media content use patterns, and wherein analyzing the user input
4 further comprises evaluating the user input based on the media content use
5 patterns.

6
7 **33 - 45. (Canceled).**

8
9 **46. (Currently Amended)** A computing device comprising:
10 a processor:
11 a memory coupled to the processor, the memory comprising computer-
12 executable instructions, the processor being configured to fetch and execute the
13 computer-executable instructions for:
14 detecting user input corresponding to a present user context; and
15 responsive to detecting the user input and independent of whether
16 the user input is associated with an explicit query:
17 analyzing the user input;
18 predicting desired access to one or more media files based on the
19 analysis;
20 retrieving information corresponding to one or more media files
21 from a media content source, wherein the information was generated
22 responsive to a user context previous to and different from the present user
23 context; and
24 presenting the information as a suggestion.
25

1 **47. (Previously Presented)** The computing device of claim 46,
2 wherein the user input comprises insertion of text into a document such as an e-
3 mail message or word processing document.

4
5 **48. (Previously Presented)** The computing device of claim 46,
6 wherein the information further comprises suggested media content items, and
7 wherein the computer-executable instructions further comprise:

8 detecting user interest in an item of the suggested media items; and
9 responsive to detecting the user interest, displaying a high-level feature
10 corresponding to the item, the high-level feature being stored in a database.

11
12 **49. (Previously Presented)** The computing device of claim 46,
13 wherein the instructions for analyzing the user input further comprise instructions
14 for determining one or more keywords from the user input, and wherein the one or
15 more media files correspond to the one or more keywords.

16
17 **50. (Previously Presented)** The computing device of claim 46,
18 wherein the instructions for analyzing the user input further comprise evaluating
19 the user input based on lexical features.

20
21 **51. (Previously Presented)** The computing device of claim 46,
22 wherein the instructions for analyzing the user input further comprise evaluating
23 the user input based on syntactical features.

1 **52. (Previously Presented)** The computing device of claim 46,
2 wherein the instructions for analyzing the user input further comprise evaluating
3 the user input based on at least a partially instantiated sentence pattern.

4
5 **53. (Previously Presented)** The computing device of claim 46,
6 wherein the computer-executable instructions further comprise instruction for
7 identifying media content use patterns, and wherein analyzing the user input
8 further comprises evaluating the user input based on the media content use
9 patterns.

10
11 **54. (Currently Amended)** A computing device comprising:
12 processing means for:
13 detecting user input in a present user context; and
14 responsive to detecting the user input and independent of whether the user
15 input is associated with a query:
16 analyzing the user input;
17 predicting desired access to one or more media files based on the
18 analysis;
19 retrieving information corresponding to one or more media files
20 from a media content source, wherein the retrieved information was
21 generated in response to a user context previous to and different from the
22 present user context; and
23 presenting the information as a suggestion.

24
25 **55 - 86. (Canceled).**